

Type N Male Right Angle for CNT-400 braided cable

Product Classification

 Product Type
 Braided cable connector

 Product Brand
 CNT® | ConQuest®

General Specifications

Body Style Right angle
Inner Contact Attachment Method Captivated
Inner Contact Plating Silver
Interface N Male
Outer Contact Attachment Method Clamp
Outer Contact Plating Trimetal

Dimensions

 Height
 35.69 mm | 1.405 in


 Width
 22.33 mm | 0.879 in

 Length
 49.28 mm | 1.94 in

Nominal Size 0.405 in

Outline Drawing





Electrical Specifications

Insertion Loss, typical	0.05 dB
Cable Impedance	50 ohm
Connector Impedance	50 ohm
dc Test Voltage	2500 V
Inner Contact Resistance, maximum	1 m0hm
Insulation Resistance, minimum	5000 MOhm
Operating Frequency Band	0 - 6000 MHz
Outer Contact Resistance, maximum	0.25 m0hm
Peak Power, maximum	10 kW
RF Operating Voltage, maximum (vrms)	707 V

VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)
0-3000 MHz	1.064	30.18
3000-6000 MHz	1.171	22.08

Mechanical Specifications

Connector Retention Tensile Force330 N | 74.187 lbfConnector Retention Torque0.56 N-m | 4.956 in lb

Page 2 of 4



Coupling Nut Proof Torque1.7 N-m | 15.046 in lbCoupling Nut Proof Torque MethodIEC 61169-16:9.3.6

Coupling Nut Retention Force 450 N | 101.164 lbf

Coupling Nut Retention Force Method IEC 61169-16:9.3.11

Interface Durability 500 cycles

Interface Durability MethodIEC 61169-16:9.5Mechanical Shock Test MethodIEC 60068-2-27

Environmental Specifications

Operating Temperature $-40 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ (-40 $^{\circ}\text{F}$ to $+185 \,^{\circ}\text{F}$)

Storage Temperature $-65 \,^{\circ}\text{C}$ to $+125 \,^{\circ}\text{C}$ (-85 $^{\circ}\text{F}$ to $+257 \,^{\circ}\text{F}$)

Attenuation, Ambient Temperature $20 \,^{\circ}\text{C} \mid 68 \,^{\circ}\text{F}$ Average Power, Ambient Temperature $40 \,^{\circ}\text{C} \mid 104 \,^{\circ}\text{F}$

Average Power, Inner Conductor Temperature 100 °C | 212 °F

Climatic Sequence Test Method IEC 60068-1

Corrosion Test Method IEC 60068-2-11

Damp Heat Steady State Test Method IEC 60068-2-3

Immersion Depth1 mImmersion Test MatingMated

Immersion Test Method IEC 60529:2001, IP68

Thermal Shock Test MethodIEC 60068-2-14Vibration Test MethodIEC 60068-2-6

Packaging and Weights

Weight, net 135 g | 0.298 lb

Regulatory Compliance/Certifications

Agency	Classification
CHINA-ROHS	Below maximum concentration value
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system
REACH-SVHC	Compliant as per SVHC revision on www.commscope.com/ProductCompliance
ROHS	Compliant





* Footnotes

Insertion Loss, typical 0.05√ freq (GHz) (not applicable for elliptical waveguide)

Immersion Depth Immersion at specified depth for 24 hours

